

Lab Sr. no.	Date	Received through Email/Phone No.	Daily Sr No.	Source	Sodium Thiosulphate	MPN	Final report (72Hrs)	Reported on	Result
3567	18-Nov	Samples received from Corporation Health Officer, Municipal Corporation Shimla, Shimla(H.P)	1	Dhingu mandir lower tank	added	MPN=5	Thermotolerant E.coli not detected by Eijkman test	21--NOV	SUSPICIOUS
3568			2	Dhingu mandir outlet upper tank	added	MPN=5	Thermotolerant E.coli not detected by Eijkman test	21-Nov	SUSPICIOUS
3569			3	Tibetian school,Dhingu	added	MPN=5	Thermotolerant E.coli not detected by Eijkman test	21-Nov	SUSPICIOUS
3570			4	Supply Malta niwas,Dhingu	added	MPN=0	-	20-Nov	Excellent
3571			5	Public tap Laxmi Narayan mandir,Sanjauli	added	MPN=5	Thermotolerant E.coli not detected by Eijkman test	21-Nov	SUSPICIOUS
3572			6	Sanjauli reservoir outlet	added	MPN=0	-	20-Nov	Excellent
3573			7	Sanjauli reservoir inlet GUMMA	added	MPN=5	Thermotolerant E.coli not detected by Eijkman test	21-Nov	SUSPICIOUS
3574			8	Kasumpati reservoir	added	MPN=0	-	20-Nov	Excellent
3575	19-Nov	Samples received from Corporation Health Officer, Municipal Corporation Shimla, Shimla(H.P)	1	MASHOBRA TANK	added	MPN=0		21-Nov	EXCELLENT
3576			2	P.TAP NEAR POST OFFICE MASHOBRA	added	MPN=13			UNSATISFACTORY
3577			3	P.TAP NEAR KAPOOR DHABA MASHOBRA	added	MPN=0		21-Nov	EXCELLENT
3578			4	P.TAP NEW MASHOBRA II	added	MPN=5			in process
3579			5	P.tap near UCO bank Dhalli Bazar	added	MPN=0		21-Nov	Excellent
3580			6	Dhalli Tunnel Pump House	added	MPN=1			in process
3581			7	SANJAULI RESERVOIR OUTLET	added	MPN=3			in process
3582			8	KASUMPATI RESERVOIR OUTLET	added	MPN=1			in process

3583	19-Nov	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	ridge tank		MPN=0	-	21-Nov	Excellent
3584			2	mains field tank	added	MPN=0	-	21-Nov	Excellent
3485			3	kalaston tank	added	MPN=0	-	21-Nov	Excellent
3586			4	dhali tank	added	MPN=0	-	21-Nov	Excellent
3587			5	tavi tank	added	MPN=0	-	21-Nov	Excellent
3588			6	boiluganj bowari	nil	MPN=03	-	21-Nov	
3589			7	jakhu tank	added	MPN=0	-	21-Nov	Excellent
3590			8	kusumpti tank	added	MPN=0	-	21-Nov	Excellent
3592			10	ashutosh bawari new shimla	nil	MPN=7	-	21-Nov	
3593			11	sector -3 bowari new shimla	nil	MPN=7	-	21-Nov	
3594			12	ramji dhaba bowari	nil	MPN=5	-	21-Nov	