

Lab Sr. no.	Date	Received through Email/Phone No.	Daily Sr No.	Source	Sodium Thiosulphate	MPN	Final report (72Hrs)	Reported on	Result
3871	5-Dec	Samples received from Executive Engineer, Shimla Jal Prabandhan Nigam Ltd.	1	Engine ghar tank	added	MPN=0	—	7-Dec	Excellent
3872			2	P.tap Mehta niwas Enginee ghar	added	MPN=0	—	7-Dec	Excellent
3873			3	P.tap bangala colony	added	MPN=0	—	7-Dec	Excellent
3874			4	Bangala colony tank	added	MPN=0	—	7-Dec	Excellent
3875			5	Kasumpti reservoir	added	MPN=0	—	7-Dec	Excellent
3876			6	Sanjauli reservoir outlet	added	MPN=0	—	7-Dec	Excellent
3877			7	Sanjauli inlet Gumma	added	MPN=0	—	7-Dec	Excellent
3878			8	Sanjauli inlet Giri	added	MPN=0	—	7-Dec	Excellent
3879	5-Dec	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	RIDGE TANK SHImla	added	MPN=01	—	7-Dec	
3880			2	MAINSFIELD TANK	added	MPN=01	—	7-Dec	
3881			3	BHARARI TANK	added	MPN=01	—	7-Dec	
3882			4	DHALLI TANK	added	MPN=0	—	7-Dec	Excellent
3883			5	CHAKKAR TANK	added	MPN=0	—	7-Dec	Excellent
3884			6	KNOLLSWOOD TANK	added	MPN=0	—	7-Dec	Excellent
3885			7	JAKHOO TANK	added	MPN=01	—	7-Dec	
3886			8	VIKASNAGAR TANK	added	MPN=0	—	7-Dec	
3888			10	HANDPUMP BEMLOE STORE KANLOG	nil	MPN=0	—	7-Dec	in process
3889			11	PUB.TAP NEAR S.D. SCHOOL GANJ	added	MPN=0	—	7-Dec	in process
3890			12	PUB.TAP NEAR RAM MANDIR GATE	added	MPN=0	—	7-Dec	in process