

Lab Sr. no.	Date	Received through Email/Phone No	Daily Sr No.	Source	Sodium Thiosulphate	MPN	Final report (72Hrs)	FINAL REPORTING DATE	Result
393	23-Jan	Samples received from Assistant Engineer, Shimla Jal Prabandhan Nigam Ltd	1	PUBLIC TAP NEAR INDIRA CHOWK LOWER BAZAR	added	MPN=0	–	25-Jan	EXCELLENT
394			2	PUBLIC TAP NEAR LIFT MALL ROAD ,SHIMLA	added	MPN=0	–	25-Jan	EXCELLENT
395			3	PUBLIC TAP NEAR KHADI BANDHAR, MALL ROAD	added	MPN=0	–	25-Jan	EXCELLENT
396			4	PUBLIC TAP NEAR SHIV MANDIR ,MIDDLE BAZAR	added	MPN=0	–	25-Jan	EXCELLENT
397			5	KASUMPATI RESERVOIR	added	MPN=0	–	25-Jan	EXCELLENT
398			6	SANJAULI RESERVOIR	added	MPN=0	–	25-Jan	EXCELLENT
399			7	SANJAULI GIRI INLET	added	MPN=0	–	25-Jan	EXCELLENT
400			8	SANJAULI GUMMA INLET	added	MPN=0	–	25-Jan	EXCELLENT
401	23-Jan	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	ridge tank	added	MPN=0	–	25-Jan	EXCELLENT
402			2	mains field tank	added	MPN=0	–	25-Jan	EXCELLENT
403			3	pub. Tap near post office mashobra	added	MPN=0	–	25-Jan	EXCELLENT

404			4	pub. Tap near mashobra department	added	MPN=0	–	25-Jan	EXCELLENT
405			5	bowari majyat	added	MPN=0	–	25-Jan	EXCELLENT
406			6	dhobighat bowari	nil	MPN=0	–	25-Jan	EXCELLENT
407			7	pub. Tap lakkar near police station	added	MPN=0	–	25-Jan	EXCELLENT
409			9	pub. Tap lakkar near mall	added	MPN=0	–	25-Jan	EXCELLENT
410			10	pub. Tap near lift	added	MPN=0	–	25-Jan	EXCELLENT
411			11	pub tap near scandal point	added	MPN=0	–	25-Jan	EXCELLENT
412			12	pub. Tap near hpmc ridge	added	MPN=0	–	25-Jan	EXCELLENT