

Lab Sr. no.	Date	Received through Email/Phone No.	Daily Sr No.	Source	Sodium Thiosulphate	MPN	Final report (72Hrs)	Reported on	Result
4338	30-Dec	Samples received from Assistant Engineer, Shimla Jal Prabandhan Nigam Ltd.	1	KASUMPATI RESERVOIR	added	MPN=2	thermotolerant ecoli not detected	1-Jan	SATISFACTORY
4339			2	IAS COLONY SARGHEEN TANK	added	MPN=3	thermotolerant ecoli not detected	1-Jan	SATISFACTORY
4340			3	SARGHEEN TANK	added	MPN=50	thermotolerant ecoli not detected	1-Jan	Unsatisfactory
4341			4	SAKRALA TANK NEAR TYPE -IV	added	MPN=0		1-Jan	Excellent
4342			5	BASANT VIHAR TANK RANI GROUND	added	MPN=2	thermotolerant ecoli not detected	1-Jan	SATISFACTORY
4343			6	P.TAP NEAR SHIV MANDIR MIDDLE BAJAR	added	MPN=5	thermotolerant ecoli not detected	1-Jan	SUSPICIOUS (advice repeat sample)
4344			7	SANJAULI RESERVOIR	added	MPN=5	thermotolerant ecoli not detected	1-Jan	SUSPICIOUS (advice repeat sample)
4345			8	SANJAULI RESERVOIR GIRI INLET	added	MPN=35	thermotolerant ecoli not detected	1-Jan	Unsatisfactory
4346	31-Dec	Samples received from Assistant Engineer, Shimla Jal Prabandhan Nigam Ltd.	1	kasumpti reservoir	added	MPN=0	-	2-Jan	Excellent
4347			2	p.tap near shiv mandir, middle bazaar	added	MPN=0	-	2-Jan	Excellent
4348			3	Sanjauli reservoir	added	MPN=0	-	2-Jan	Excellent
4349			4	Sanjauli Gumma inlet	added	MPN=0	-	2-Jan	Excellent
4350			5	North oak UG Tank	added	MPN=0	-	2-Jan	Excellent
4351			6	North OH tank	added	MPN=0	-	2-Jan	Excellent
4352			7	Housing board colony upper tank no-1	added	MPN=0	-	2-Jan	Excellent
4353			8	Housing board colony upper tank no-2	added	MPN=0	-	2-Jan	Excellent

4354	31-Dec	Samples Received under Hepatitis Project Community Medicine IGMC Shimla	1	RIDGE TANK SHImla	added	MPN=0	-	2-Jan	Excellent
4355			2	mainsfield TANK	added	MPN=0	-	2-Jan	Excellent
4356			3	PUB.TAP NEAR IGMC SHIMLA	added	MPN=0	-	2-Jan	Excellent
4357			4	DHALLI TANK	added	MPN=0	-	2-Jan	Excellent
4358			5	TAVI TANK	added	MPN=0	-	2-Jan	Excellent
4359			6	PHASE3 TANK	added	MPN=0	-	2-Jan	Excellent
4360			7	JAKHU TANK	added	MPN=0	-	2-Jan	Excellent
4361			8	KASUMPATI TANK	added	MPN=0	-	2-Jan	Excellent