

Lab S.No.	Date	Received From	Daily S.No.	Source	Sodium Thiosulphate	Final Report (72 hours)	Final Reporting Date	Result
6050	1/12/2019	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6051			2	SANJAULI RESERVOIR	added	Thermotolerant E.coli not detected	4/12/2019	Excellent
6052			3	P.TAP NEAR POLICE COLONY BHARARI	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6053			4	P.TAP NEAR BHALLA NIWAS BHARARI	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6054			5	P.TAP NEAR BHARARI TEMPLE	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6055			6	P.TAP NEAR POLICE GROUND BHARARI	added	Thermotolerant E.coli not detected	4/12/2019	Excellent
6056			7	BHARARI TANK	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6057			8	KLESTON TANK	added	Thermotolerant E.coli not detected	4/12/2019	satisfactory
6058	2/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpati reservoir	added	Thermotolerant E.coli not detected	5/12/2019	SATISFACTORY
6059			2	Public tap near Eva sales corp. Ganj bazar	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6060			3	Public tap near Prusharathi basti	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6061			4	public tap near sabzi mandi	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6062			5	Public tap near Sadar Thana	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6063			6	public tap near councillor home Ruldabhata	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6064			7	public tap near shyam singh building Ruldabhata	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6065			8	Sanjauli reservoir	added	Thermotolerant E.coli not detected	5/12/2019	Excellent
6066	2/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		4/12/2019	Excellent
6067			2	Mains field tank	added		4/12/2019	Excellent
6068			3	KELASTON TANK	added		4/12/2019	Excellent
6069			4	DHALLI TANK	added		4/12/2019	Excellent
6070			5	public tap totu chowk	added		4/12/2019	Excellent
6071			6	Phase III tank	added		4/12/2019	Excellent
6072			7	Jakhu tank	added		4/12/2019	Excellent
6073			8	Sargeen tank	added		4/12/2019	Excellent
6074			9	P/T-Five bench	added		4/12/2019	Excellent

6075			10	P/T-Dhaulpur house	added		4/12/2019	Excellent
6076			11	P/T-Baba balaknath temple	added		4/12/2019	Excellent
6077			12	P/T- near ropeway	added		4/12/2019	excellent
6078	3/12/2019	Samples received from A.E. , SJPN Ltd.	1	KASUMPTI RESERVOIR	added	Thermotolerant E.coli not detected	6/12/2019	satisfactory
6079			2	SUPPLY NEAR SYLVERTON , THAKUR BAGH	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6080			3	P.TAP NEAR KRISHNA HILL ANNADALE	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6081			4	P.TAP LAXMIN NIWAS ANNADALE	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6082			5	P.TAP NEAR DHOBHIGHAT ANNADALE	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6083			6	P.TAP NEAR GRACE VILLA ANNADALE	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6084			7	TARAHALL TANK	added	Thermotolerant E.coli not detected	6/12/2019	Excellent
6085			8	SANJAULI RESERVOIR	added	Thermotolerant E.coli not detected	6/12/2019	excellent
6086	3/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		5/12/2019	Excellent
6087			2	Mainsfield tank	added		5/12/2019	Excellent
6088			3	Bharari tank	added		5/12/2019	Excellent
6089			4	DHALLI TANK	added		5/12/2019	Excellent
6090			5	Pub-tap green valley totu	added		5/12/2019	Excellent
6091			6	Knollswood tank	added		5/12/2019	Excellent
6092			7	Jakhoo tank ropeway	added		5/12/2019	Excellent
6093			8	Pub-tap chintpurni chock khalini	added		5/12/2019	Excellent
6094			9	PUB-TAP POLICE GUMTI CHOTTA SHIMLA	added		5/12/2019	Excellent
6095			10	Pub-tap apna medical store chotta shimla	added		5/12/2019	Excellent
6096			11	Pub-tap servent quarter chotta shimla	added		5/12/2019	Excellent
6097			12	Pub-tap M.C.office chotta shimla	added		5/12/2019	Excellent
6098	4/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpati reservoir	added	Thermotolerant E.coli not detected	7/12/2019	Suspicious
6099			2	public tap near Old police thana Sanjauli	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6100			3	Public tap near Laxmi narayan temple sanjauli	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6101			4	Bangala colony tank	added	Thermotolerant E.coli not detected	7/12/2019	Excellent

6102			5	public tap near Bangala colony	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6103			6	public tap near Mehta parking Engine ghar	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6104			7	Engine ghar tank	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6105			8	Sanjauli reservoir	added	Thermotolerant E.coli not detected	7/12/2019	Excellent
6106	4/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		6/12/2019	Excellent
6107			2	Mainsfield tank	added		6/12/2019	Excellent
6108			3	KELASTON TANK	added		6/12/2019	Excellent
6109			4	DHALLI TANK	added		6/12/2019	Excellent
6110			5	TAVI TANK	added		6/12/2019	
6111			6	Phase-3 tank	added		6/12/2019	Excellent
6112			7	Jakhoo tank ropeway	added		6/12/2019	
6113			8	Pub-tap sargeen	added		6/12/2019	Excellent
6114			9	Pub-tap baba khan store	added		6/12/2019	Excellent
6115			10	Pub-tap pursharti basti	added		6/12/2019	Excellent
6116			11	Pub-tap indira chowk	added		6/12/2019	Excellent
6117			12	Pub-tap sabji mandi	added		6/12/2019	Excellent
6118	5/12/2019	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	Thermotolerant E.coli not detected	8/12/2019	Unsatisfactory
6119			2	P.TAP NEAR MC OFFICE NEW SHIMLA	added	Thermotolerant E.coli not detected	8/12/2019	repeat sample advised
6120			3	P.TAP NEAR DAV SCHOOL NEW SHIMLA	added	Thermotolerant E.coli not detected	8/12/2019	Excellent
6121			4	P.TAP NEAR KRANTI CHOWK NEW SHIMLA	added	Thermotolerant E.coli not detected	8/12/2019	Excellent
6122			5	SECT-3OLD TANK OUTLET	added	Thermotolerant E.coli not detected	8/12/2019	Excellent
6123			6	SECT-3NEW TANK NEW SHIMLA	added	Thermotolerant E.coli not detected	8/12/2019	satisfactory
6124			7	P.TAP NEAR MRYLA(ILLEGIBLE) BHAWAN	added	Thermotolerant E.coli not detected	8/12/2019	Excellent
6125			8	SANJAULI RESERVOIR	added	Thermotolerant E.coli not detected	8/12/2019	excellent
6126	5/12/2019	Samples received under Hepatitis Project	1	RIDGE TANK	added		7/12/2019	Satisfactory
6127			2	MAINS FIELD TANK	added		7/12/2019	Excellent
6128			3	BHARARI TANK	added		7/12/2019	Satisfactory
6129			4	DHALLI TANK	added		7/12/2019	Excellent
6130			5	PUB TAP DHANDA CHOWK	added		7/12/2019	Unsatisfactory
6131			6	PHASE III TANK	added		7/12/2019	Excellent

6132			7	JAKHOO ROPE WAY TANK	added		7/12/2019	Excellent
6133			8	PUB TAP BROCK HERST	added		7/12/2019	Unsatisfactory
6134			9	LAXMI NARAYAN TEMPLE (PT) SANJAULI	added		7/12/2019	Excellent
6135			10	SANJAULI CHOWK P.T.	added		7/12/2019	Excellent
6136			11	NEAR SBI SANJUALI	added		7/12/2019	Excellent
6137			12	HPMC RIDGE P.T.	added		7/12/2019	Excellent
6138	6/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpti reservoir	added	Thermotolerant E.coli not detected	9/12/2019	excellent
6139			2	Public chowk near Khalini chowk	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6140			3	Public tap near By pass road Khalini	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6141			4	Public tap near Panchiatha	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6142			5	Public tap near Kali mata mandir Bhagwati nagar	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6143			6	Supply near sood Bhawan Bhagwati nagar	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6144			7	Knollswood tank	added	Thermotolerant E.coli not detected	9/12/2019	Excellent
6145			8	Sanjauli reservoir	added	Thermotolerant E.coli not detected	9/12/2109	Excellent
6146	6/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		8/12/2019	Excellent
6147			2	Mainsfield tank	added		8/12/2019	Excellent
6148			3	Bharari tank	added		8/12/2019	Excellent
6149			4	Dhalli tank	added		8/12/2019	Excellent
6150			5	Tavi tank	added		8/12/2019	Excellent
6151			6	Knollswood tank	added		8/12/2019	Excellent
6152			7	Jakhoo ropeway tank	added		8/12/2019	Excellent
6153			8	Public tap near Apna medical store	added		8/12/2019	Excellent
6154			9	public tap totu chowk	added		8/12/2019	Excellent
6155			10	Public tap near SBI ATM Totu	added		8/12/2019	Excellent
6156			11	Public tap Near PNB ATM Totu	added		8/12/2019	Excellent
6157			12	Public tap Boileauganj	added		8/12/2019	Excellent
6158	7/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpti Reservoir	added	Thermotolerant E.coli not detected	10/12/2019	suspicious
6159			2	P.tap near Dhaulpur House Jakhu	added	Thermotolerant E.coli not detected	10/12/2019	Excellent
6160			3	Jakhu tank no 1 near ropeway	added	Thermotolerant E.coli not detected	10/12/2019	Excellent
6161			4	Jakhu tank no 2 near Hanuman temple	added	Thermotolerant E.coli not detected	10/12/2019	Excellent

6162			5	P. tap neat Holly lodge Jakhu	added	Thermotolerant E.coli not detected	10/12/2019	satisfactory
6163			6	P.tap near Charli Mount Jakhu	added	Thermotolerant E.coli not detected	10/12/2019	Excellent
6164			7	Supply near Lehnu Bhawan Jakhu	added	Thermotolerant E.coli not detected	10/12/2019	satisfactory
6165			8	Sanjauli Reservoir	added	Thermotolerant E.coli not detected	10/12/2019	suspicious
6166	7/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		9/12/2019	Excellent
6167			2	Mainsfield tank	added		9/12/2019	Excellent
6168			3	Kelaston tank	added		9/12/2019	Excellent
6169			4	Dhalli tank	added		9/12/2019	Excellent
6170			5	P/T Dhanda	added		9/12/2019	Excellent
6171			6	Phase-3 tank	added		9/12/2019	
6172			7	Jakhoo ropeway tank	added		9/12/2019	Excellent
6173			8	Sargeen tank	added		9/12/2019	Excellent
6174			9	P/T Sargeen	added		9/12/2019	Excellent
6175			10	P/T Chhota Shimla	added		9/12/2019	Excellent
6176			11	P/T Brock Hurst-1	added		9/12/2019	Excellent
6177			12	P/T Brock Hurst-2	added		9/12/2019	
6178	8/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpti reservoir	added	Thermotolerant E.coli not detected	11/12/2019	unsatisfactory
6179			2	Public tap near cow shed Gaddi khera	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6180			3	Public tap near Chaddha transport	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6181			4	Supply near DDU Rippen Hospital	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6182			5	Public tap near Eva sales corp. Ganj bazar	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6183			6	Public tap near Prusharathi basti	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6184			7	Ridge tank outlet	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6185			8	Sanjauli reservoir	added	Thermotolerant E.coli not detected	11/12/2019	Excellent
6186	9/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpti reservoir	added	Thermotolerant E.coli not detected	12/12/2019	unsatisfactory
6187			2	Pub-tap near goel apparment dingu	added	Thermotolerant E.coli not detected	12/12/2019	Excellent
6188			3	Dhingu mandir tank	added	Thermotolerant E.coli not detected	12/12/2019	Excellent
6189			4	Pub-tap near laxmi narayan temple	added	Thermotolerant E.coli not detected	12/12/2019	Excellent

6190			5	Pub-tap near old police thana sanjauli	added	Thermotolerant E.coli not detected	12/12/2019	Excellent
6191			6	Sanjauli reservoir	added	Thermotolerant E.coli not detected	12/12/2019	Excellent
6192			7	NORTH OK UG TANK	added	Thermotolerant E.coli not detected	12/12/2019	satisfactory
6193			8	NORTH OK OH TANK	added	Thermotolerant E.coli not detected	12/12/2019	in process
6194	9/12/2019	Samples received under Hepatitis Project	1	Ridge tank	added		11/12/2019	Excellent
6195			2	Pub-tap ridge HPMC	added		11/12/2019	Excellent
6196			3	KELASTON TANK	added		11/12/2019	Excellent
6197			4	Dhali tank	added		11/12/2019	Excellent
6198			5	Pub-tap dhanda	added		11/12/2019	Excellent
6199			6	Phase-3 tank	added		11/12/2019	Excellent
6200			7	Jakhoo tank ropeway	added		11/12/2019	Excellent
6201			8	Pub-tap brock herst	added		11/12/2019	Excellent
6202			9	Pub-tap dhaulpur house	added		11/12/2019	Excellent
6203			10	Pub-tap baba balak nath temple	added		11/12/2019	Excellent
6204			11	Pub-tap ropeway jakhoo	added		11/12/2019	Excellent
6205			12	Pub-tap violet hills jakhoo	added		11/12/2019	
6206	10/12/2019	Samples received from A.E. , SJPN Ltd.	1	Kasumpati reservoir	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6207			2	supply near 18 family Boileouganj	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6208			3	Kamna devi tank	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6209			4	Sandale tank Chokker	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6210			5	supply near BJP office Chakker	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6211			6	public tap near shanti kunj, Chakker	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6212			7	supply near MC office,Chora maidan	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6213			8	Sanjauli reservoir	added	Thermotolerant E.coli not detected	13/12/2019	Excellent
6214	10/12/2019	Samples received under Hepatitis Project	1	Pub-tap ridge HPMC	added		12/12/2019	Excellent
6215			2	Mainsfield tank	added		12/12/2019	Excellent
6216			3	Bharari tank	added		12/12/2019	Excellent
6217			4	Dhali tank	added		12/12/2019	Excellent
6218			5	Pub-tap green valley	added		12/12/2019	Excellent
6219			6	Knollswood tank	added		12/12/2019	Excellent

6220			7	Jakhoo tank ropeway	added		12/12/2019	Excellent
6221			8	Pub-tap brock herst	added		12/12/2019	Excellent
6222			9	Pub-tap sanjauli near SBI	added		12/12/2019	Excellent
6223			10	Pub-tap sanjauli chock	added		12/12/2019	Excellent
6224			11	Pub-tap charley mount	added		12/12/2019	Excellent
6225			12	Pub-tap hally lodge	added		12/12/2019	Excellent