

DATED	LAB S.No.	RECEIVED FROM	DAILY S.No.	SOURCE	SODIUM THIOSULPHATE	FINAL REPORT (AFTER 72 HOURS)	FINAL REPORTING DATE	RESULT
23/2/2020	953	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	26/2/20	excellent
	954		2	P.TAP NEAR SUJI LINE	added	thermotolerant E.coli not detected	26/2/20	excellent
	955		3	P.TAP NEAR SADAR POLICE THANA	added	thermotolerant E.coli not detected	26/2/20	excellent
	956		4	P.TAP NEAR SABZI MANDI LOWER BAZAR	added	thermotolerant E.coli not detected	26/2/20	excellent
	957		5	P.TAP NEAR INDIRA CHOWK	added	thermotolerant E.coli not detected	26/2/20	excellent
	958		6	P.TAP NEAR KHADI BHANDAR MALL ROAD	added	thermotolerant E.coli not detected	26/2/20	excellent
	959		7	P.TAP NEAR HPMC RIDGE	added	thermotolerant E.coli not detected	26/2/20	excellent
	960		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	26/2/20	Excellent
24/2/2020	961	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	27/2/2020	in process
	962		2	SUPPLY NEAR SYLVERTON THAKUR BHAG	added	thermotolerant E.coli not detected	27/2/2020	in process
	963		3	P.TAP NEAR KALA SADAN ANNADALE	added	thermotolerant E.coli not detected	27/2/2020	in process
	964		4	P.TAP NEAR KRISHNA HILL	added	thermotolerant E.coli not detected	27/2/2020	in process
	965		5	P.TAP NEAR LAXMI NIWAS ANNADALE	added	thermotolerant E.coli not detected	27/2/2020	in process
	966		6	P.TAP NEAR DHOBHIGHAT ANNADALE	added	thermotolerant E.coli not detected	27/2/2020	in process
	967		7	TARA HALL TANK	added	thermotolerant E.coli not detected	27/2/2020	in process
	968		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	27/2/2020	in process
24/2/2020	969	Samples received under hepatitis project	1	Ridge tank	added		26/2/2020	excellent
	970		2	Pub-tap HPMC Ridge	added		26/2/2020	excellent
	971		3	Keleston tank	added		26/2/2020	excellent
	972		4	Dhalli tank	added		26/2/2020	excellent
	973		5	Tavi tank	added		26/2/2020	excellent
	974		6	Phase-3 tank	added		26/2/2020	excellent
	975		7	Jakhoo tank ropeway	added		26/2/2020	excellent
	976		8	Pub-tap brock herst	added		26/2/2020	excellent
	977		9	Pub-tap five banch jakhoo	added		26/2/2020	excellent
	978		10	Pub-tap dhaulpur house	added		26/2/2020	excellent
	979		11	Pub-tap baba balak nath temple	added		26/2/2020	excellent
	980		12	Pub-tap near ropeway jakhoo	added		26/2/2020	excellent
25/02/2020	981	Samples received from A.E. , SJPN Ltd.	1	KASUMPTI RESERVOIR	added	thermotolerant E.coli not detected	28/2/20	excellent
	982		2	BANGALA COLONY TANK	added	thermotolerant E.coli not detected	28/2/20	excellent
	983		3	PUBLIC TAP NEAR BANGALA COLONY	added	thermotolerant E.coli not detected	28/2/20	excellent
	984		4	Public tap near MeHTA PARKING Engine ghar	added	thermotolerant E.coli not detected	28/2/20	excellent
	985		5	ENGINE GHAR TANK	added	thermotolerant E.coli not detected	28/2/20	excellent

	986		6	Public tap near Sanjauli chowk	added	thermotolerant E.coli not detected	28/2/20	excellent
	987		7	PUBLIC TAP NEAR OLD POLICE THANA SANJAULI	added	thermotolerant E.coli not detected	28/2/20	excellent
	988		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	28/2/20	Excellent
25/2/2020	989	Samples received under hepatitis project	1	Ridge tank	added		27/2/2020	excellent
	990		2	Mainsfield tank	added		27/2/2020	excellent
	991		3	Bharari tank	added		27/2/2020	excellent
	992		4	Dhalli tank	added		27/2/2020	excellent
	993		5	Pub-tap dhanda chock	added		27/2/2020	excellent
	994		6	Knowllswood tank	added		27/2/2020	excellent
	995		7	Jakhoo tank ropeway	added		27/2/2020	excellent
	996		8	Pub-tap sargeen	added		27/2/2020	excellent
	997		9	Pub-tap police gumti chhota shimla	added		27/2/2020	excellent
	998		10	Pub-tap apna medical store chhota shimla	added		27/2/2020	excellent
	999		11	Pub-tap Sarvent quarter choota shimla	added		27/2/2020	excellent
	1000		12	Pub-tap M C office chotta shimla	added		27/2/2020	excellent
26/2/2020	1001	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1002		2	PUBLIC TAP NEAR MC OFFICE NEW SHIMLA	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1003		3	PUBLIC TAP NEAR DAV SCHOOL NEW SHIMLA	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1004		4	PUBLIC TAP NEAR KRANTI CHOWK	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1005		5	SECTOR 3 OLD TANK OUTLET	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1006		6	PUBLIC TAP NEAR MANGLA BHAWAN NEW SHIMLA	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1007		7	SECTOR 3 NEW TANK	added	thermotolerant E.coli not detected	29/2/20	Excellent
	1008		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	29/2/20	Excellent
26/2/2020	1009	Samples received under hepatitis project	1	Ridge tank	added		28/2/2020	excellent
	1010		2	Mainsfield tank	added		28/2/2020	excellent
	1011		3	Keleston tank	added		28/2/2020	excellent
	1012		4	Dhalli tank	added		28/2/2020	excellent
	1013		5	Pub-tap totu chock	added		28/2/2020	excellent
	1014		6	Phase-3 tank	added		28/2/2020	excellent
	1015		7	Jakhoo tank ropeway	added		28/2/2020	excellent
	1016		8	Pub-tap brock herst-2	added		28/2/2020	excellent
	1017		9	Pub-tap baba khan store	added		28/2/2020	excellent
	1018		10	Pub-tap pursharti basti	added		28/2/2020	excellent
	1019		11	Pub-tap indira chock	added		28/2/2020	excellent
	1020		12	Pub-tap subji mandi	added		28/2/2020	excellent
27/2/2020	1021	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1022		2	P.TAP NEAR KHALINI CHOWK	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1023		3	P.TAP NEAR BYE PASS ROAD KHALINI	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1024		4	P.TAP NEAR PANCHIATHA	added	thermotolerant E.coli not detected	1/3/2020	excellent

	1025		5	SUPPLY NEAR GULERIA NIWAS BHAGWATI NAGAR	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1026		6	P.TAP NEAR KALI MATA MANDIR BHAGWATI NAGAR	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1027		7	KNOLLS WOOD TANK	added	thermotolerant E.coli not detected	1/3/2020	excellent
	1028		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	1/3/2020	excellent
27/2/2020	1029	Samples received under hepatitis project	1	Ridge tank	added		29/2/2020	excellent
	1030		2	Mainsfield tank	added		29/2/2020	excellent
	1031		3	Bharari tank	added		29/2/2020	excellent
	1032		4	Dhalli tank	added		29/2/2020	excellent
	1033		5	Pub-tap totu chock	added		29/2/2020	excellent
	1034		6	Knowllswood tank	added		29/2/2020	excellent
	1035		7	Jakhoo tank ropeway	added		29/2/2020	excellent
	1036		8	Pub-tap apna medical store chhota shimla	added		29/2/2020	excellent
	1037		9	Pub-tap UCO bank dhalli	added		29/2/2020	excellent
	1038		10	Pub-tap apsra hotel old bus stop	added		29/2/2020	excellent
	1039		11	Pub-tap butel bhawan old bus stand	added		29/2/2020	excellent
	1040		12	Pub-tap cow shed old bus stop	added		29/2/2020	excellent
28/2/20	1041	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1042		2	PUBLIC TAP NEAR FIVE BENCH	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1043		3	PUBLIC TAP NEAR DHAULPUR HOUSE JAKHU	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1044		4	JAKHU TANK NO 1 NEAR ROPEWAY	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1045		5	JAKHU TANK NO 2 NEAR HANUMAN TEMPLE	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1046		6	SUPPLY NEAR HOLLY LODGE	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1047		7	PUBLIC TAP NEAR CHARLI MOUNT	added	thermotolerant E.coli not detected	2/3/2020	excellent
	1048		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	2/3/2020	Excellent
28/2/2020	1049	Samples received under hepatitis project	1	Ridge tank	added		1/3/2020	excellent
	1050		2	Pub-tap dhalli chock	added		1/3/2020	excellent
	1051		3	Pub-tap sanjauli chock	added		1/3/2020	excellent
	1052		4	Pub-tap near SBI sanjauli	added		1/3/2020	excellent
	1053		5	Chakkar tank	added		1/3/2020	excellent
	1054		6	Knowllswood tank	added		1/3/2020	excellent
	1055		7	Jakhoo tank ropeway	added		1/3/2020	excellent
	1056		8	Pub-tap near police gumti chotta shimla	added		1/3/2020	excellent
	1057		9	Pub-tap totu chock	added		1/3/2020	excellent
	1058		10	Pub-tap near SBI ATM	added		1/3/2020	excellent
	1059		11	Pub-tap near PNB ATM	added		1/3/2020	excellent
	1060		12	Pub-tap power house	added		1/3/2020	excellent
29/02/2020	1061	Samples received from A.E. , SJPN Ltd.	1	KASUMPTI RESERVOIR	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1062		2	Public tap near Preet hotel below bus stand	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1063		3	Public tap near Tibetan colony below bus stand	added	thermotolerant E.coli not detected	3/3/2020	excellent

	1064		4	Public tap near Chadha transport below bus stand	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1065		5	Public tap near Gaddi khana	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1066		6	Public tap near Idgah Lakkar bazar	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1067		7	Public tap near council house Ruldabhata	added	thermotolerant E.coli not detected	3/3/2020	excellent
	1068		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	3/3/2020	excellent
29/2/2020	1069	Samples received under hepatitis project	1	Pub-tap HPMC Ridge	added		2/3/2020	Excellent
	1070		2	Pub-tap police gumti chhota shimla	added		2/3/2020	Excellent
	1071		3	Pub-tap UCO bank dhalli	added		2/3/2020	Excellent
	1072		4	Dhalli tank	added		2/3/2020	Excellent
	1073		5	Tavi tank	added		2/3/2020	Excellent
	1074		6	Knowllswood tank	added		2/3/2020	Excellent
	1075		7	Jakhoo tank ropeway	added		2/3/2020	Excellent
	1076		8	Sargeen tank	added		2/3/2020	Excellent
	1077		9	Pub-tap sargeen	added		2/3/2020	Excellent
	1078		10	Pub-tap near apna medical store chhota shimla	added		2/3/2020	Excellent
	1079		11	Pub-tap brock herst	added		2/3/2020	Excellent
	1080		12	Pub-tap near laxmi narayan temple sanjauli	added		2/3/2020	excellent
1/3/2020	1081	Samples received from A.E. , SJPN Ltd.	1	KASUMPTI RESERVOIR	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1082		2	P.TAP NEAR KALI KOTHI, TUTTIKANDI	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1083		3	103 TANK	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1084		4	TUTTIKANDI TANK	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1085		5	PHAGLI TANK	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1086		6	P.TAP NEAR GOVT. SCHOOL PHAGLI	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1087		7	P.TAP NEAR TIBETAN COLONY NABHA	added	thermotolerant E.coli not detected	4/3/2020	excellent
	1088		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	4/3/2020	excellent
2/3/2020	1089	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1090		2	DHINGU MANDIR TANK	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1091		3	PUBLIC TAP NEAR GOEL APPARTMENT DHINGA	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1092		4	PUBLIC TAP NEAR LAXMI NARAYAN TEMPLE SANJAULUI	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1093		5	PUBLIC TAP NEAR OLD POLICE THANA SANJAULI	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1094		6	NORTH OAK U.G. TANK	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1095		7	NORTH OAK O.H. TANK	added	thermotolerant E.coli not detected	5/3/2020	excellent
	1096		8	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	5/3/2020	excellent
2/3/2020	1097	Samples received under hepatitis project	1	Ridge tank	added		4/3/2020	excellent

	1098		2 Mainsfield tank	added		4/3/2020	excellent
	1099		3 Pub-tap sanjauli chock	added		4/3/2020	excellent
	1100		4 Pub-tap near IGMC pump	added		4/3/2020	excellent
	1101		5 Pub-tap dhanda chock	added		4/3/2020	excellent
	1102		6 Phase-3 tank	added		4/3/2020	excellent
	1103		7 Jakhoo tank ropeway	added		4/3/2020	excellent
	1104		8 Pub-tap sargeen near shiv mandir	added		4/3/2020	excellent
	1105		9 Pub-tap charley mount	added		4/3/2020	excellent
	1106		10 Pub-tap lahnu bhawan jakhoo	added		4/3/2020	excellent
	1107		11 Pub-tap prosspact lodge	added		4/3/2020	excellent
	1108		12 Pub-tap holly lodge	added		4/3/2020	excellent
3/3/2020	1109	Samples received from A.E. , SJPN Ltd.	1 KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1110		2 SECTOR 2 TANK,NEW SHIMLA	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1111		3 SECTOR 4 TANK,NEW SHIMLA	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1112		4 SECTOR 1 TANK,NEW SHIMLA	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1113		5 TARA MATA MANDIR TANK	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1114		6 PHASE III TANK NO 1	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1115		7 AQUAGAURD WATER IAS RESIDENCE BOILEUGANJ	added	thermotolerant E.coli not detected	6/3/2020	excellent
	1116		8 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	6/3/2020	Excellent
3/3/2020	1117	Samples received under hepatitis project	1 Ridge tank	added		5/3/2020	excellent
	1118		2 Mainsfield tank	added		5/3/2020	excellent
	1119		3 Keleston tank	added		5/3/2020	excellent
	1120		4 Dhalli tank	added		5/3/2020	excellent
	1121		5 Pub-tap fullu bhawan dhanda	added		5/3/2020	excellent
	1122		6 Knowllswood tank	added		5/3/2020	excellent
	1123		7 Jakhoo tank ropeway	added		5/3/2020	excellent
	1124		8 Pub-tap panthaghati	added		5/3/2020	excellent
	1125		9 Pub-tap apna medical store chhota shimla	added		5/3/2020	excellent
	1126		10 Pub-tap police gumti chhota shimla	added		5/3/2020	excellent
	1127		11 Pub-tap servant quarter	added		5/3/2020	excellent
	1128		12 Pub-tap MC office chota shimla	added		5/3/2020	Excellent
4/3/2020	1129	Samples received from A.E. , SJPN Ltd.	1 KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	7/32020	Excellent
	1130		2 SAKRALA TANK	added	thermotolerant E.coli not detected	7/32020	excellent
	1131		3 BASANT VIHAR TANK NEAR RANI GROUND	added	thermotolerant E.coli not detected	7/32020	excellent
	1132		4 S.D.A KASUMPTI TANK	added	thermotolerant E.coli not detected	7/32020	excellent
	1133		PUBLIC TAP NEAR DURGA COTTAGE,SDA 5 KASUMPATI	added	thermotolerant E.coli not detected	7/32020	excellent
	1134		6 Public tap near Apna Medical store Chotta Shimla	added	thermotolerant E.coli not detected	7/32020	excellent
	1135		7 Public tap near Brockhust	added	thermotolerant E.coli not detected	7/32020	excellent
	1136		8 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	7/32020	Excellent

4/3/2020	1137	Samples received under hepatitis project	1	Ridge tank	added		6/3/2020	excellent
	1138		2	Mainsfield tank	added		6/3/2020	excellent
	1139		3	Keleston tank	added		6/3/2020	excellent
	1140		4	Dhalli tank	added		6/3/2020	excellent
	1141		5	Tavi tank	added		6/3/2020	excellent
	1142		6	Phase-3 tank	added		6/3/2020	excellent
	1143		7	Jakhoo tank ropeway	added		6/3/2020	excellent
	1144		8	Pub-tap near police gumti chotta shimla	added		6/3/2020	excellent
	1145		9	Pub-tap baba khan store	added		6/3/2020	excellent
	1146		10	Pub-tap pursharti basti	added		6/3/2020	excellent
	1147		11	Pub-tap indira chock	added		6/3/2020	excellent
	1148		12	Pub-tap khadi bhandar	added		6/3/2020	Excellent
5/3/2020	1149	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1150		2	SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1151		3	PUB-TAP NEAR POLICE COLONY BHARARI	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1152		4	SUPPLY NEAR BHALLA NIWAS BHARARI	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1153		5	PUB-TAP NEAR BHARARI TAMPLE	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1154		6	PUB-TAP NEAR POLICE GROUND BHARARI	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1155		7	BHARARI TANK	added	thermotolerant E.coli not detected	8/3/2020	Excellent
	1156		8	KLESTON TANK	added	thermotolerant E.coli not detected	8/3/2020	Excellent
5/3/2020	1157	Samples received under hepatitis project	1	Ridge tank	added		7/3/2020	excellent
	1158		2	Mainsfield tank	added		7/3/2020	excellent
	1159		3	Bharari tank	added		7/3/2020	excellent
	1160		4	Dhalli tank	added		7/3/2020	excellent
	1161		5	Pub-tap dhanda chock	added		7/3/2020	excellent
	1162		6	Phase-3 tank	added		7/3/2020	excellent
	1163		7	Jakhoo tank ropeway	added		7/3/2020	excellent
	1164		8	Pub-tap brock herst	added		7/3/2020	excellent
	1165		9	Pub-tap bhalla house bharari	added		7/3/2020	excellent
	1166		10	Pub-tap police ground bharari	added		7/3/2020	excellent
	1167		11	Pub-tap police quarter bharari	added		7/3/2020	excellent
	1168		12	Pub-tap RL dhaba dhalli	added		7/3/2020	Excellent
6/3/2020	1169	Samples received from A.E. , SJPN Ltd.	1	KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1170		2	PUBLIC TAP NEAR EVA SALES CORP GANJ BAZAR	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1171		3	PUBLIC TAP NEAR PURUSHARTHI BASTI	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1172		4	PUBLIC TAP NEAR SABZI MANDI LOWER BAZAR	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1173		5	PUBLIC TAP NEAR INDIRA CHOWK LOWER BAZAR	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1174		6	PUBLIC TAP NEAR KHADI BANDHAR MALL ROAD	added	thermotolerant E.coli not detected	9/3/2020	Excellent
	1175		7	PUBLIC TAP NEAR HPMC RIDGE	added	thermotolerant E.coli not detected	9/3/2020	Excellent

	1176		8 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	9/3/2020	Excellent
6/3/2020	1177	Samples received under hepatitis project	1 Ridge tank	added		8/3/2020	excellent
	1178		2 Pub-tap police gumti chhota shimla	added		8/3/2020	Excellent
	1179		3 Keleston tank	added		8/3/2020	Excellent
	1180		4 Dhalli tank	added		8/3/2020	Excellent
	1181		5 Tavi tank	added		8/3/2020	Excellent
	1182		6 Knowlswood tank	added		8/3/2020	Excellent
	1183		7 Pub-tap holly lodge	added		8/3/2020	Excellent
	1184		8 Pub-tap sargeen	added		8/3/2020	Excellent
	1185		9 Pub-tap totu chock	added		8/3/2020	Excellent
	1186		10 Pub-tap near SBI ATM	added		8/3/2020	Excellent
	1187		11 Pub-tap near PNB ATM	added		8/3/2020	Excellent
	1188		12 Pub-tap power house	added		8/3/2020	Excellent
7/3/2020	1189	Samples received from A.E. , SJPN Ltd.	1 KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1190		2 ADVANCE STUDY TANK SUMMERHILL	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1191		3 SUMMERHILL BAZAR TANK	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1192		4 PUB-TAP NEAR RAJ DAIRY SUMMERHILL	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1193		5 PUB-TAP NEAR SUMMERHILL CHOWK	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1194		6 PUB-TAP NEAR LOWER SUMMERHILL	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1195		SUPPLY NEAR 18 FAMILY CPWD QUARTER 7 BOILEUGANJ	added	thermotolerant E.coli not detected	10/3/2020	Excellent
	1196		8 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	10/3/2020	Excellent
7/3/2020	1197	Samples received under hepatitis project	1 Snodown pump house	added		9/3/2020	excellent
	1198		2 Mainsfield tank	added		9/3/2020	excellent
	1199		3 Bharari tank	added		9/3/2020	excellent
	1200		4 Dhalli tank	added		9/3/2020	excellent
	1201		5 Pub-tap dhandha chock	added		9/3/2020	excellent
	1202		6 Knowlswood tank	added		9/3/2020	excellent
	1203		7 Pub-tap llehnu bhawan	added		9/3/2020	excellent
	1204		8 Pub-tap near police gumti chhota shimla	added		9/3/2020	excellent
	1205		9 Pub-tap near apna medical store chhota shimla	added		9/3/2020	excellent
	1206		10 Pub-tap brock herst-1	added		9/3/2020	excellent
	1207		11 Pub-tap brock herst-2	added		9/3/2020	excellent
	1208		12 Pub-tap near sarvent quarter	added		9/3/2020	excellent
8/3/2020	1209	Samples received from A.E. , SJPN Ltd.	1 KASUMPATI RESERVOIR	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1210		2 BANGALA COLONY TANK	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1211		3 P.TAP NEAR BANGALA COLONY	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1212		4 P.TAP NEAR MEHTA PARKING , ENGINEGHAR	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1213		5 ENGINE GHAR TANK	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1214		6 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	11/3/2020	Excellent

	1215		7 HOUSING BOARD COLONY TANK NO.1	added	thermotolerant E.coli not detected	11/3/2020	Excellent
	1216		8 HOUSING BOARD COLONY TANK NO. 2	added	thermotolerant E.coli not detected	11/3/2020	Excellent
9/3/2020	1217	Samples received from A.E. , SJPN Ltd.	1 KASUMPTI RESERVOIR	added	thermotolerant E.coli not detected	12/3/2020	excellent
	1218		2 Kamna Devi Tank	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1219		3 Supply near BJP office Chakar Chowk	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1220		4 Sandale Tank Chakar	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1221		5 Public tap near Hari Mandir Chakar	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1222		6 Public tap near Sanjauli chowk	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1223		7 PUBLIC TAP NEAR OLD POLICE THANA SANJAULI	added	thermotolerant E.coli not detected	12/3/2020	Excellent
	1224		8 SANJAULI RESERVOIR	added	thermotolerant E.coli not detected	12/3/2020	Excellent
9/3/2020	1225	Samples received under hepatitis project	1 Ridge tank	added		11/3/2020	Excellent
	1226		2 Mainsfield tank	added		11/3/2020	Excellent
	1227		3 Keleston tank	added		11/3/2020	excellent
	1228		4 Dhalli tank	added		11/3/2020	Excellent
	1229		5 Pub-tap fullu bhawan dhanda	added		11/3/2020	Excellent
	1230		6 Pub-tap RL dhaba dhalli	added		11/3/2020	Excellent
	1231		7 Jakhoo tank ropeway	added		11/3/2020	Excellent
	1232		8 Pub-tap near apna medical store chhota shimla	added		11/3/2020	Excellent
	1233		9 Pub-tap five banch jakhoo	added		11/3/2020	Excellent
	1234		10 Pub-tap dhaulpur house	added		11/3/2020	Excellent
	1235		11 Pub-tap baba balak nath temple	added		11/3/2020	Excellent
	1236		12 Pub-tap near ropeway jakhoo	added		11/3/2020	excellent